



# **HIGH-PRESSURE PISTONS**

**HIGH-PERFORMANCE CERAMICS** 

www.kyocera-solutions.de

## **HIGH-PRESSURE PLUNGERS**

Pistons made of F99.7, FZT or FZM ceramics are used to transfer media ranging from liquids to high viscosity substances, even with an abrasive filler. The ceramic high-performance pistons and plungers are also exceptionally well-suited for extreme-pressure applications, such as waterjet cutting. High resistance to wear and optimal sliding properties ensure a long operational life.



We supply suitable materials in the required dimensions for all individual applications.



#### FIELDS OF APPLICATION

- Water-jet cutting lines
- Desalination units
- ▶ High-pressure lines
- ▶ Recirculation systems for
- filtration
- cooling
- flushing

### **BENEFITS**

- ▶ Extreme resistance to wear
- Optimal sliding properties (Ra < 0.05 μm)</li>
- ▶ Pressure resistance of up to 10,000 bar
- Runtime of more than 2,000 h at 3,000 bar
- ▶ Lighter than metal/tungsten components



Source: Jet Cut Power GmbH, Switzerland



#### **KYOCERA Fineceramics Solutions GmbH**

Steinzeugstraße 92 68229 Mannheim / Germany Tel.: +49 (0) 621 - 405 47 400 E-Mail: info@kyocera-solutions.de www.kyocera-solutions.de

European Headquarters:

#### **KYOCERA Europe GmbH**

Fritz-Mueller-Strasse 27 73730 Esslingen / Germany Tel.: +49 (0)711 - 93 93 4-0 E-Mail: info.fc@kyocera.de www.kyocera.eu



## ITALBRAS SPA

Strada del Balsego, 6 36100 Vicenza / Italy Tel: +39 0444 347559 E-Mail: info@italbras.it www.italbras.it